

























- answering within the ephyra framework. In *Text, speech and dialogue*, pages 687–694. Springer, 2006.
- [37] Y. Shen, X. He, J. Gao, L. Deng, and G. Mesnil. A latent semantic model with convolutional-pooling structure for information retrieval. In *CIKM*, pages 101–110. ACM, 2014.
- [38] Y. Shen, X. He, J. Gao, L. Deng, and G. Mesnil. Learning semantic representations using convolutional neural networks for web search. In *WWW companion*, pages 373–374, 2014.
- [39] R. Socher, D. Chen, C. D. Manning, and A. Ng. Reasoning with neural tensor networks for knowledge base completion. In *NIPS*, pages 926–934, 2013.
- [40] H. Sun, H. Ma, W.-t. Yih, C.-T. Tsai, J. Liu, and M.-W. Chang. Open domain question answering via semantic enrichment. In *WWW*, pages 1045–1055, 2015.
- [41] I. Sutskever, O. Vinyals, and Q. V. Le. Sequence to sequence learning with neural networks. In *NIPS*, pages 3104–3112, 2014.
- [42] C. Unger, L. Bühmann, J. Lehmann, A.-C. Ngonga Ngomo, D. Gerber, and P. Cimiano. Template-based question answering over RDF data. In *WWW*, pages 639–648, 2012.
- [43] P. Venetis, A. Halevy, J. Madhavan, M. Paşca, W. Shen, F. Wu, G. Miao, and C. Wu. Recovering semantics of tables on the web. *VLDB*, 4(9):528–538, 2011.
- [44] E. M. Voorhees and D. M. Tice. Building a question answering test collection. In *SIGIR*, pages 200–207. ACM, 2000.
- [45] R. West, E. Gabrilovich, K. Murphy, S. Sun, R. Gupta, and D. Lin. Knowledge base completion via search-based question answering. In *WWW*, pages 515–526, 2014.
- [46] M. Yahya, K. Berberich, S. Elbassuoni, M. Ramanath, V. Tresp, and G. Weikum. Natural language questions for the web of data. In *EMNLP-CoNLL*, pages 379–390. ACL, 2012.
- [47] M. Yakout, K. Ganjam, K. Chakrabarti, and S. Chaudhuri. Infogather: entity augmentation and attribute discovery by holistic matching with web tables. In *SIGMOD*, pages 97–108. ACM, 2012.
- [48] M. Yang, B. Ding, S. Chaudhuri, and K. Chakrabarti. Finding patterns in a knowledge base using keywords to compose table answers. *VLDB*, 7(14):1809–1820, 2014.
- [49] Y. Yang and M.-W. Chang. S-mart: Novel tree-based structured learning algorithms applied to tweet entity linking. In *ACL*, 2015.
- [50] X. Yao and B. Van Durme. Information extraction over structured data: Question answering with freebase. In *ACL*, 2014.
- [51] W.-t. Yih, M.-W. Chang, X. He, and J. Gao. Semantic parsing via staged query graph generation: Question answering with knowledge base. In *ACL*, 2015.
- [52] M. Zhang and K. Chakrabarti. Infogather+: Semantic matching and annotation of numeric and time-varying attributes in web tables. In *SIGMOD*, pages 145–156. ACM, 2013.
- [53] L. Zou, R. Huang, H. Wang, J. X. Yu, W. He, and D. Zhao. Natural language question answering over RDF: a graph data driven approach. In *SIGMOD*, pages 313–324. ACM, 2014.